

# **ABSTRACTS**

## **Second International Alloy Conference (IAC-2) *An Interdisciplinary Approach to the Science of Alloys in Metals, Minerals and Other Materials Systems***

**August 8-13, 1999  
Davos, Switzerland**

**Conference Co-Chairs:  
A. Gonis, A. Meike, K. Rajan and P.E.A. Turchi  
Lawrence Livermore National Laboratory**



19990920 023

**United Engineering Foundation, Inc.  
Three Park Avenue, 27<sup>th</sup> Floor  
New York, NY 10016-5902  
T: 1-212-591-7836 - F: 1-212-591-7441  
E-mail: [engfnd@aol.com](mailto:engfnd@aol.com) [www: http://www.engfnd.org](http://www.engfnd.org)**

**DISTRIBUTION STATEMENT A  
Approved for Public Release  
Distribution Unlimited**

# REPORT DOCUMENTATION PAGE

Form Approved  
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquarters Service, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188) Washington, DC 20503.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.

1. REPORT DATE (DD-MM-YYYY) 15-09-99		2. REPORT DATE		3. DATES COVERED (From - To) 01-07-99 to 03-06-00	
4. TITLE AND SUBTITLE  2nd International Alloy Conference: An Interdisciplinary Approach to the Science of Alloys in Metal, Mineral and Other Materials Systems				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER N00014-99-1-0895	
				5c. PROGRAM ELEMENT NUMBER	
				5d. PROJECT NUMBER 99-BS	
6. AUTHOR(S)  K. Rajan A. Gonis P. Turchi A. Meike				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
				8. PERFORMING ORGANIZATION REPORT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)  United Engineering Foundation Inc. 3 Park Avenue 27th floor New York, NY 10016-5902				10. SPONSOR/MONITOR'S ACRONYM(S)	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)  United Engineering Foundation Inc. 3 Park Avenue 27th floor New York, NY 10016-5902				11. SPONSORING/MONITORING AGENCY REPORT NUMBER	
12. DISTRIBUTION AVAILABILITY STATEMENT  DISTRIBUTION STATEMENT A Approved for Public Release Distribution Unlimited					
13. SUPPLEMENTARY NOTES  There will be no proceedings for this conference					
14. ABSTRACT  This is a second Triennial Conference on the physical, chemical, and mechanical properties of materials, interpreted to mean simple and complex inorganic solids, i.e., metals, semiconductors, and mineral of technological and environmental significance					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT  18	18. NUMBER OF PAGES  52	19a. NAME OF RESPONSIBLE PERSON Charles V. Freiman
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code) 212-591-7943

**Monday, August 9, 1999**

**Session IA: Thermodynamics of Alloys: Ordering**

Chairperson: A. Meike

E. K. H. Salje

**Ordering mechanisms in minerals**

H. Lang

**Ordering kinetics in  $B_2$ -FeAl**

V. Vaks

**Kinetic features of non-simplest alloy orderings:  $DO_3$ ,  $L_{12}$ , and  $L_{10}$  type orderings**

M. Spanl

**Short-range ordering kinetics and microstructural development during post-deformation annealing**

**Session IA: Thermodynamics of Alloys: Ordering**

Chairperson: K. Masuda-Jindo

F. Schmid

**Order and disorder phenomena at surfaces of binary alloys**

R. V. Chepursky

**Analytical description of the short-range order in alloys with many-body atomic interactions**

B. Wuensch

**Changes in the atomic coordinates and state of anion and cation order induced by alloying in  $Y_2[M(2)\gamma M(1)_{1-\gamma}]_2O_7$  solid solution systems**

S. I. Simak

**Ordering in  $Cu_2/NiZn$ : a first-principles Monte-Carlo study**

Second International Alloy Conference (IAC-2)  
Oral Presentation

### **FERROELASTICITY**

Ekhard K.H. Salje, Department of Earth Sciences, University of Cambridge  
Downing Street, Cambridge, CB2 3EQ, UK  
T: 01223 333481, F: 01223 333478, es10002@esc.cam.ac.uk

#### **Abstract**

The ferroelastic hysteresis is correlated with the propagation of twin walls under external stress. The wall thickness at  $T$  below  $T_c$  varies between 1nm and 7nm for different materials. Individual twin walls can act as fast diffusion paths for dopants and lattice imperfections. Several twin walls can combine to form hierarchical structures on a mesoscopic length scale (between, say 10nm and 100nm). Their features (needle domains, comb patterns, tweed and tartan patterns) are mainly determined by strain interactions with long correlation lengths. The formation of needle domains often leads to coarsening of the microstructure; their geometrical features are described in some detail.

Second International Alloy Conference (IAC-2)  
Oral Presentation

### ORDERING KINETICS IN B2-FeAl

H. Lang, Institut für Materialphysik, University of Vienna  
Strudlhofgasse 4, Vienna, A-1090, Austria

T: +43-1-31367-3209, F: +43-1-3100183, bihu@netway.at

W. Püschl, Institut für Materialphysik, University of Vienna

M. Spanl, Institut für Materialphysik, University of Vienna

W. Pfeiler, Institut für Materialphysik, University of Vienna

R. Podloucky, Center for Computational Materials Science and Department for Physical  
Chemistry

Changes in the degree of long-range order (LRO) have been investigated in B2-ordered intermetallic Fe-44.8at%Al by residual resistometry. Order variations were observed during isochronal and isothermal small step annealing after different thermal pre-treatment. It is observed that atomic mobility in this alloy starts at about 500K. Between 500K and 700K reversible changes of resistivity are interpreted as arising from local changes of order only. Above 730K changes of LRO are observed which lead to the reversible adjustment of equilibrium plateau values above 870K.

Two individual processes are found for both ordering regimes, which concern only local sample areas and the total sample volume, respectively.

**SHORT-RANGE ORDERING KINETICS AND MICROSTRUCTURAL  
DEVELOPMENT DURING POST-DEFORMATION ANNEALING**

M. Spanl, Institut für Materialphysik, University of Vienna  
Strudlhofgasse 4, Vienna, A-1090, Austria

T: +43-1-31367-3209, F: +43-1-3100183, spanl@ap.univie.ac.at

P. Rosenkranz, Institut für Materialphysik, University of Vienna

W. Püschl, Institut für Materialphysik, University of Vienna

A. Korner, Institut für Materialphysik, University of Vienna

W. Pfeiler, Institut für Materialphysik, University of Vienna

During annealing after plastic deformation the initial degree of short-range order (SRO), the contribution of point defects to ordering kinetics and the development of SRO in the defected structure are changing simultaneously. In the present investigation the evolution of SRO during post-deformation annealing is compared for the three different binary alloys  $\alpha$ -AuFe,  $\alpha$ -AgZn, and  $\alpha$ -CuAl.

Measurements of resistivity, differential scanning calorimetry (DSC) and microhardness were used to study SRO-kinetics in the presence of the changing defect structure during annealing. It was possible to separate resistivity changes caused by pure changes in SRO from resistivity changes being due to pure defect annealing by comparison with isothermal studies on the completely recrystallized alloys.

With a simple model for isothermal SRO-kinetics the data were fitted and vacancy parameters like formation and migration enthalpy as well as dislocation density were obtained.

Second International Alloy Conference (IAC-2)  
Oral Presentation

## **ORDER AND DISORDER PHENOMENA AT SURFACES OF BINARY ALLOYS**

Friederike Schmid, MPI für Polymerforschung Mainz  
Ackermannweg 10, D 55021 Mainz, 55021, Germany  
T: +49 6131 379218, F: +49 6131 379100, [schmid@mpip-mainz.mpg.de](mailto:schmid@mpip-mainz.mpg.de)  
Frank Ferdinand Haas, Universität Mainz  
Kurt Binder, Universität Mainz

We present recent Monte Carlo results on surfaces of bcc-structured binary alloys which undergo an order-disorder phase transformation in the bulk. In particular, we discuss surface order and surface induced disorder at the bulk transition between the ordered (DO3) phase and the disordered (A2) phase. An intricate interplay between different ordering and segregation phenomena leads to a complex surface behavior, which depends on the orientation of the surface under consideration.

Second International Alloy Conference (IAC-2)  
Oral Presentation

**ANALYTICAL DESCRIPTION OF THE SHORT-RANGE IN ALLOYS WITH MANY-BODY ATOMIC INTERACTIONS**

Roman V. Chepulskeyy, Dept. of Solid State Theory, Inst. for Metal Physics, Ukrainian Academy of Sciences

36, Acad. Vernadsky Blvd., Kiev-142, UA-252680, Ukraine  
T: (380) 44 4449513, F: (380) 44 4442561, chep@imp.kiev.ua

The high-accuracy ring approximation elaborated in [1-3] by use of the thermodynamic fluctuation method in the context of the modified thermodynamic perturbation theory as applied to the lattice gas model is generalized for calculation of the short-range order parameters and their Fourier transform in disordered binary alloys with many-body atomic interactions of arbitrary order and effective radius of action. On the basis of the comparison with the Monte Carlo simulation data, the numerical accuracy of the derived approximation is studied. It is demonstrated that the temperature dependence of a position in reciprocal space of the short-range order Fourier transform's maximums is correctly described within this approximation.

[1] R.V. Chepulskeyy, J. Phys.: Condens. Matter (1998) 10 1505.

[2] R.V. Chepulskeyy and V.N. Bugaev, J. Phys.: Condens. Matter (1998) 10 7309; *ibid.* 7327.

[3] R.V. Chepulskeyy, J. Phys. Chem. Solids (1998) 59 1473.

Second International Alloy Conference (IAC-2)  
Oral Presentation

**CHANGES IN THE ATOMIC COORDINATES AND STATE OF ANION AND CATION ORDER INDUCED BY ALLOYING IN  $Y_2[M(2)_yM(1)_{1-y}]_2O_7$  SOLID SOLUTION SYSTEMS**

Bernhardt J. Wuensch, Massachusetts Institute of Technology  
Dept. of Materials Science and Engineering, Cambridge, Massachusetts, 02139-4307, U.S.A.  
T: 617-253-6889, F: 617-253-5827, [wuensch@mit.edu](mailto:wuensch@mit.edu)  
Kevin W. Eberman, Massachusetts Institute of Technology

Many oxides with composition  $A_2B_2O_7$ , where A is a large trivalent cation and B a smaller quadrivalent species, assume the pyrochlore structure type, a superstructure of the cubic  $MO_2$  fluorite structure with doubled lattice constant. The  $A^{3+}$  and  $B^{4+}$  ions order among  $M^{4+}$  sites in alternate 110 rows. Omission of one of eight oxygen ions in the fluorite array is necessary for charge balance. The arrangement of vacant sites is also ordered. The driving force for ordering was generally believed to be the size difference between the  $A^{3+}$  and  $B^{4+}$  ions.

We have synthesized several series of  $Y_2(Zr,Sn,Ti)_2O_7$  pyrochlore solid solutions in which one species,  $M(1)^{4+}$ , was progressively replaced by a larger  $M(2)^{4+}$  cation. Their structures were determined through Rietveld analysis of neutron powder diffraction data. The  $Zr_yTi_{1-y}$  and  $Zr_ySn_{1-y}$  series display very similar behavior. Increase in the fraction, y, of the larger species drives the system to a non-stoichiometric fluorite state with no long-range order when y exceeds 0.8. Remarkably, disorder in the anion and cation arrays proceed independently and at very different rates with increasing y. The vacant anion site fills linearly with y whereas the cations remain fully-ordered through much of the series and then display an abrupt transition to complete disorder that is reminiscent of Bragg-Williams-like behavior in a metallic alloy. Three distinct order parameters are necessary to describe the structures. The  $Sn_yTi_{1-y}$  system, in marked contrast to the preceding behaviors, remains fully ordered despite the fact that the range of radius ratios considerably overlaps that of the other systems. The state of order thus depends not only on differences in ionic size, but also on site preferences that we attribute to a covalent component to the bonding. A sharp rise in oxygen-ion conductivity (by  $10^3$ ) accompanies disorder in the anion array. The structural data provide satisfactory explanation of the variation of conductivity with y.

Second International Alloy Conference (IAC-2)  
Oral Presentation

**ORDERING IN  $\text{Cu}_2\text{NiZn}$ : A FIRST-PRINCIPLES MONTE CARLO STUDY**

**S. I. Simak**, Department of Applied Physics, Chalmers University of Technology and  
Gothenburg University

S-412 96 Gothenburg, Sweden, Gothenburg, S-412 96, Sweden

T: +46 31 772 3201, F: +46 31 772 8426, sergeis@fy.chalmers.se

**A. V. Ruban**, CAMP and Department of Physics, Technical University of Denmark, Denmark

**I. A. Abrikosov**, Condensed Matter Theory Group, Uppsala University, Sweden

**H. L. Skriver**, CAMP and Department of Physics, Technical University of Denmark, Denmark

**B. Johansson**, Condensed Matter Theory Group, Uppsala University, Sweden

Monte Carlo simulations based on effective interactions obtained from  $\text{O(N)}$  first-principles calculations reveal three order-disorder transitions in ternary  $\text{Cu}_2\text{NiZn}$  in contrast to the generally accepted picture which assumes the possibility for only *two*. We demonstrate that this sequence of transitions is a consequence of the symmetry of the ground state and the magnitude of the dominating pair interactions.

**Monday, August 9, 1999 (continued)**

**Session IB: Thermodynamics of Alloys: Kinetics and diffusion**

Chairperson: G. Grimvall

W. E. Glassley

**Using arrested solid-solid multiphase reactions in geological materials to deduce the rate of crystal uplift**

M. Athenes

**Kinetics of phase separation in a binary alloy: influence of the atomic mobilities**

K. Rajan

**Self Assembly in epitaxial semiconductor alloys**

P. A. Khorzhavyi

***Ab initio* study of vacancies in metals and compounds**

W. Pfeiler

**Point defect energies in L1<sub>2</sub>-ordered Ni<sub>3</sub>Al**

Second International Alloy Conference (IAC-2)  
Oral Presentation

**USING ARRESTED SOLID - SOLID MULTIPHASE REACTIONS IN GEOLOGICAL  
MATERIALS TO DEDUCE THE RATE OF CRUSTAL UPLIFT**

William E. Glassley, Lawrence Livermore National Laboratory  
P.O. Box 808, Livermore, California, 94551, USA  
T: 925 422 3735, F: 925 422 4918, glassley1@llnl.gov  
Annemarie Meike, Lawrence Livermore National Laboratory

The history geological terrains experience can be traced as a series of temperature and pressure changes. Each change drives the system toward a new state of thermodynamic equilibrium. The resultant overprinted rock fabrics, textures and chemical heterogeneities can be difficult to interpret. However, if carefully chosen, features from the scale of kilometers to nanometers can be used to reconstruct the history of mountain systems. Uplift of the Sri Lankan Central Highlands was rapid enough to preserve well-developed symplectite textures, some of which represent arrested solid-state diffusion-controlled reactions of garnet + O<sub>2</sub> to form orthopyroxene + plagioclase + magnetite, as the rocks were exhumed from over 30 km in the earth's crust. Our objective has been to determine the reaction mechanisms responsible for symplectite development, and to establish the time interval over which these reactions occurred, to constrain the rate of mountain uplift. Considering that the most rapid mechanism is solid state grain-boundary diffusion of oxygen, the reaction time can be constrained by bounding the rate of oxygen supply to the reaction site. The solid state grain boundary diffusion rate of oxygen has been inferred to be ca.  $10^{-14}$  m<sup>2</sup>/sec (Farver and Yund, 1991), but is sensitive to inferred grain boundary width. The range of rates thus determined, allows the distinction between rapid uplift similar to that of the Himalayan Mountains, and the slow and progressive erosion of a less dramatic terrain. Further constraints on diffusion control and energetic relationships are determined from crystallographic relationships between the reactant and product phases, and submicron scale microstructures.

\*Work performed under the auspices of the U.S. Department of Energy by Lawrence Livermore National Laboratory under Contract W-7405-ENG-48.

# KINETICS OF PHASE SEPARATION IN A BINARY ALLOY: INFLUENCE OF THE ATOMIC MOBILITIES

M. Athènes\*, P. Bellon<sup>+</sup> and G. Martin\*

\* CEA Saclay, Section de recherches de métallurgie physique, 91191  
Gif-sur-Yvette, France.

<sup>+</sup> Department of Materials Science and Engineering, University of Illinois,  
1304 W. Green St., Urbana Illinois 61801, USA  
T:33-1-69 08 37 69; F:33-1-69 08 68 67; E: mathenes@cea.fr

## ABSTRACT

An atomistic kinetic model with a vacancy mediated diffusion mechanism is used to study the precipitation kinetics from a supersaturated solid solution. For a given equilibrium phase diagram, the asymmetry of the pairwise interaction energies determines the ratio of solute to solvent mobility.

We show that varying this energetical asymmetry, i.e. the vacancy-solute binding energy, affects the weight of the various  $n$ -mers contribution to the clustering process and modifies the phase separating kinetic pathway both for low and high solute supersaturation.

Moreover, we observe that decreasing the temperature increases the weight of the coagulation mechanism. This property of the vacancy dynamics explains why, in Fe-Cu system, precipitation kinetic measurements yield a Johnson-Mehl-Avrami exponent which increases with decreasing temperature. At variance, simulations using the direct exchange dynamics yield an exponent varying in the opposite direction.

Second International Alloy Conference (IAC-2)  
Oral Presentation

### **SELF-ASSEMBLY IN EPITAXIAL SEMICONDUCTOR ALLOYS**

Krishna Rajan, Rensselaer Polytechnic Institute  
Dept. of Materials Science and Engineering, Troy, NY, 12180-3590, USA  
T: (518) 276-6126, F: (518) 276-8554, [rajank@rpi.edu](mailto:rajank@rpi.edu)  
Y-C.Chen and V.Bucklen, Rensselaer Polytechnic Institute  
C.Wang, Lincoln Laboratories  
G.Charache, G.Nichols, M.Freeman and P.Sanders, Lockheed-Martin

With the development of new optoelectronic device architectures and applications there has been renewed and extensive interest in the fundamental issues governing phase stability in chemically complex epitaxial compound semiconductors. In this paper we review some of the recent experimental findings in this field and point out the importance of different microstructural length scales associated with the different types of phase instabilities associated with ternary and quaternary compounds. Of particular focus is the ability to take advantage of intrinsic thermodynamic and kinetic behavior of these complex semiconductor alloys in epitaxial structures to "engineer" compositional modulations of varying length scales which would not normally appear in bulk alloy systems. Hence new "self-assembled" microstructures can be generated. In this paper we outline the some of the crystallographic and structural characteristics of such self-assembled alloy systems and discuss the possible mechanisms governing their formation and stability.

Second International Alloy Conference (IAC-2)  
Oral Presentation

***AB INITIO* STUDY OF VACANCIES IN METALS AND COMPOUNDS**

P. A. Korzhavyi, Condensed Matter Theory Group, Uppsala University  
Physics Department, P. O. Box 530, Uppsala, S-751 21, Sweden  
T: +46-(0)18-4717308, F: +46-(0)18-471-3524, kpa@fysik.uu.se  
I. A. Abrikosov, Condensed Matter Theory Group, Uppsala University  
B. Johansson, Condensed Matter Theory Group, Uppsala University

The results of *ab initio* calculations of the vacancy formation energies in all the transition and noble metals are presented. We also report on the formation and interaction energies of native point defects in the NiAl intermetallic compound. The calculations are performed within the locally self-consistent Green's function method and include multipole electrostatic corrections to the atomic sphere approximation. The results are in excellent agreement with experiment and existing full-potential calculations.

main topic area: 2  
subtopic area: b

# POINT DEFECT ENERGIES IN $L1_2$ -ORDERED $Ni_3Al$ .

H. Schweiger, R. Podloucky, Center for Computational Materials Science and Department for Physical Chemistry, University of Vienna, Liechtensteinstrasse 22a/1/3, A-1090 Vienna, Austria; W. Püschl, M. Spanl, W. Pfeiler, Institut für Materialphysik, University of Vienna, Strudlhofgasse 4, A-1090 Vienna Austria.

Experimental investigation of order-order relaxations in  $Ni_3Al$  by residual resistometry yielded a very high ordering activation energy of about 4.6eV being in correspondence with tracer experiments, where the tracer atom substitutes the Al-atom. Qualitatively, this might be interpreted by breaking of bonds to the 12 surrounding Ni nearest neighbour atoms of the ordered  $L1_2$ -lattice.

For the purpose of a more fundamental understanding the properties of vacancies and antisites in  $Ni_3Al$  were studied by means of *ab initio* calculations for supercells. Formation energies for Ni- and Al-vacancies were derived using a grandcanonical ensemble. Further, vacancy migration energies were determined successively displacing atoms from their equilibrium position to a vacant nearest neighbour position. Correlated jumps during a jump cycle were also taken into account.

Contact Author: Prof. Wolfgang Pfeiler  
University of Vienna  
Institut für Materialphysik  
Strudlhofgasse 4  
A-1090 Vienna  
Austria

preferred: poster session

**Tuesday, August 10, 1999**

**Session IC: Thermodynamics of Alloys : phase stability and transformation**

Chairperson: W. E. Glassley

S. Saxena

**Application of synchrotron light, CCD-devices and lasers to the study of materials**

K. Masuda-Jindo

**Effects of continuous atomic displacement on the phase stability of metallic alloys**

G. Grimvall

**Dynamical lattice instabilities in alloy phase diagrams**

S. Fries

**Computational thermodynamics: modelling and applications**

T. Mohri

**Susceptibility near the transition temperature calculated from first-principles**

Chairperson: D. Papaconstantopoulos

W. Schweika

**Diffuse scattering of Cu-Au alloys: displacements and Fermi-surface effects**

V. Vinograd

**Maximization of cluster entropy via an irreversible algorithm: application to the cluster variation method**

C. Colinet

**CVM calculations of the solid-state equilibria in the Fe-Co phase diagram**

S. Shallcross

**Onsager cavity field in statistical mechanics of alloys**

Second International Alloy Conference (IAC-2)  
Oral Presentation

**APPLICATION OF SYNCHROTRON LIGHT, CCD-DEVICES AND LASERS TO THE  
STUDY OF MATERIALS**

Surendra K. Saxena, Department of Earth Science  
Uppsala University, Uppsala, S-75236, Sweden  
T: 46-18-4712559, F: 46-18-4712591, surendra.saxena@geo.uu.se

The goal of the materials science is to understand the behavior of solids, melts and fluids over a range of pressures and temperatures, well enough to construct detailed, quantitative and predictive models of the physical and chemical processes operative in the industrial systems. In recent years, there have been significant technical improvements in generating and measuring high temperatures using lasers and spectroradiometry (multi wave-length pyrometry) and in-situ x-ray study of micrometer size heated samples using synchrotrons. These techniques permit us to extend the study of existing materials to higher temperatures and pressures more than ever before; they will also inevitably help us in conceiving and producing a whole range of new materials. Examples of some recent studies on iron, oxides and silicates will be presented.

Submitted to main topic area: 2. Thermodynamic properties

Subtopic area: a. Assessment of phase diagram, b. Ordering and phase tr..

## **EFFECTS OF CONTINUOUS ATOMIC DISPLACEMENT ON THE PHASE STABILITY OF METALLIC ALLOYS**

K. Masuda-Jindo, Department of Materials Science and Engineering,  
Tokyo Institute of Technology, Nagatsuta, Midori-ku, Yokohama, Japan,  
R. Kikuchi, Department of Materials, and Minerals, University of  
California, Berkeley, Vu van Hung, Hanoi National University, Vietnam

The continuous displacement (CD) formulation of the CVM allows atoms to be displaced from the reference rigid lattice points. When an atom displaced at  $r$  is regarded as a species  $r$ , the system is in an alloy of an infinite number of species and the CVM entropy can be applied to the system. The applications are presented for bcc and fcc binary alloys, within pair and quasi-chemical tetrahedron cluster approximations, respectively. For phase-separating binary alloys, the change of lattice constant with the composition and the reduction of the transition temperature are shown. For the order-disorder phase transition of bcc alloys, the transition temperatures are found to be reduced significantly compared to those of the conventional CVM. We also compare the calculation results with those derived by the moment method in the statistical mechanics.

### **Contact Author**

Name: K. Masuda-Jindo

Institution: Tokyo Institute of Technology

Department: Department of Materials Science and Engineering

Street address: Nagatsuta 4259, Midori-ku

City: Yokohama 226-0026; Country: Japan

Presentation needs: Overhead

Prefer: Oral session: Yes